






### **CLEANSING SPRAY PATTERNS**





Large air-filled water droplets offer complete cleansing and a comfortable sensation with minimal water use



Plentiful shower of water gives a gentle sensation for complete cleansing over a wider area.



Gentle dispersion of large water drop-lets ensure intimate cleansing in the most comforting way






Shower of small water droplets reaches a wider area giving a gentle coddling sensation to sensitive skin.





### Oscillating Cleansing

The back-and-forth movement of the wand ensures thorough cleansing of the entire area.





Rhythmically pulsating stream of cleansing warm water.





### Wand Position Adjustment

You can easily set the wand position according to your preference.





### **+ -** Wand Pressure Adjustment

Select from five levels of water pressure

A variety of washing functions that cater to the convenience and mood of each individual

DESIGN washlė́τ₀ + / washlė́τ₀



### Toilet and WASHLET combinations that are beautiful from any angle.

Making it possible to pursue beautiful design, WASHLET+is a new series of toilet and WASHLET combinations that use a TOTO proprietary system to conceal WASHLET water supply hose and electrical cord inside.







and lid creates a seamless design that fits any space.

WASHLET+ AUTOMATED HOSPITALITY washlet.





### Before use





# AUTO OPEN / CLOSE LID

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

### **SOFT LIGHT**

Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.



### While sitting







The moment you approach the toilet, the seat begins warming to a comfortable temperature.



DEODORIZER

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odors.



### When Standing





### AUTO FLUSH

No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.










During Use









### WHAT IS EWATER+



EWATER+ is water containing hypochlorous acid that is used for cleaning and other purposes.

Hypochlorous acid is effective in suppressing the growth of bacteria.

Chloride ions contained in water are electrolyzed to create water that contains hypochlorous acid.

Water Electrolization EWATER+ Time passage Go back to water

### **SUPPRESSES** the accumulation of Waste on BOWL

EWATER+ washes the wand and toilet bowl where waste tend to accumulate and produce stains that can become permanent. Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic stains has no place to hide.






Survey: Study the effectiveness of EWATER+ by comparing the state of cleanliness of toilets that receive no cleaning versus toilets that are self-cleaned with EWATER+. No additional cleaning was allowed. Survey period: One month (Feb. - Mar. 2017). Subjects: Families of four. \*Results vary according to usage and environmental conditions. All data collected by TOTO.


### How EWATER+ cleans

Before use











Since waste is less able to adhere to a wet surface, it is more easily washed away





EWATER+ is applied to wash the wand and toilet bowl and remove waste






EWATER+ is automatically sprayed 8 hours after the last use

CLEANLINESS CLEAN SYNERGY Washlet.



# SUPPRESSES the accumulation of Waste on WAND

Before and after each use, the wand automatically washes itself with EWATER + . This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.





Survey: Study the effectiveness of EWATER+ by comparing the state of cleanliness of wands self-cleaned with EWATER+ versus those that are not. No additional cleaning was allowed.
Survey period: Two months (Sep. - Oct. 2017).
Subjects: Families of four.
\*Results vary according to usage, environmental conditions, and product type. All data collected by TOTO

### Antibacterial self-cleaning inside the mechanism, too



with EWATER+

### Always Keeping Conditions Clean

Made of high-quality waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.






# The wand attaches to the seat DRY AREA SEAT WATER AREA



### CLEAN MATERIAL

EWATER+


High-quality resin repels waste and dirt and resists staining, keeping surfaces clean.



### Ultra-smooth ceramic leaves nowhere for waste to cling.

CEFIONTECT is an ultra-smooth ceramic glaze that coats the toilet bowl. Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.






### To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.





### 360° cleaning power reaches every spot using less water.

TORNADO FLUSH not only cleans more effectively, it does so quietly using less water . Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.



The RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet



## washLėt<sub>®</sub> +



# BENEFITS & TECHNOLOGIES

### **CLEAN SYNERGY**











RIMLESS








EWATER + For WAND



EWATER For BOW








AUTO OPEN / CLOSE LID



AUTO FLUSH







DEODORIZER



WATER SAVING

- SELF CLEANING WAND
- WIDE FRONT CLEANSING
- WAND POSITION ADJUSTMENT
- AUTO ENERGY SAVER

- REAR CLEANSING
- OSCILLATING CLEANSING
- WATER PRESSURE ADJUSTMENT
- MAIN UNIT ONE-TOUCH REMOVAL

- REAR SOFT CLEANSING
- PULSATING CLEANSING
- WARM AIR DRYING
- FRONT CLEANSING
- CLEAN RESIN
- SOFT LIGHT



**Concealed Connection** MS636CDRV

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: Elongated Rough-in: 305mm (S-Trap) One Piece Toilet 498W\*740D\*670H mm

Size: WASHLET S7

383W\*532D\*125H mm

CLEAN SYNERGY 💸 😭 🚱 🎧 





**Concealed Connection** Only

C769CE / S986GE TCF4911EZ

**Concealed Connection** with Auto Flush C769CE / S986GE

Concealed Connection Only

**Concealed Connection** 

CS838CDV

TCF4911EZ

CS838CDV

TCF4911EZ

with Auto Flush

TCF4911EZ TCA438

Close Coupled Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L)

Bowl Shape: Elongated 305mm (S-Trap) Rough-in: Close Coupled Toilet

Size:

456W\*700D\*765H mm WASHLET S7

383W\*532D\*125H mm

Close Coupled Toilet with WASHLET S7

(4.5L / 3L)

Elongated

305mm (S-Trap)

388W\*700D\*734H mm

383W\*532D\*125H mm

Flush System: Tornado Flush

Bowl Shape:

WASHLET S7

Close Coupled Toilet

Rough-in:



CLEAN SYNERGY 💸 😭 🚱 🎧



GOOD GREEN GOOD DESIGN AMARD 2018



Concealed Connection Only CW823REA TCF4911EZ

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in:

One Piece Toilet 510W\*750D\*640H mm WASHLET S7

383W\*532D\*125H mm Size:

CLEAN SYNERGY 💸 🖁 🚱 🎧







**Concealed Connection** 

C887CRE TCF4911EZ

Concealed Connection with Auto Flush

C887CRE TCF4911EZ TCA440 One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.8L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) One Piece Toilet

428W\*727D\*657H mm WASHLET S7

383W\*532D\*125H mm









Concealed Connection Only

CST948CDV TCF4911EZ

Concealed Connection with Auto Flush

CST948CDV TCF4911EZ TCA438

Close Coupled Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

Rough-in: 305mm (S-Trap) Close Coupled Toilet 380W\*700D\*906H mm

WASHLET S7

383W\*532D\*125H mm







Concealed Connection Only

C889CDRE TCF4911EZ

Concealed Connection with Auto Flush

C889CDRE TCF4911EZ TCA438

One Piece Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in: One Piece Toilet

387W\*700D\*699H mm WASHLET S7 383W\*532D\*125H mm CLEAN SYNERGY 💸 🖁 🕻 💸 🕤





GOOD GREEN GOOD DESIGN DESIGN AMARD 2018



Concealed Connection Only

CS767CRV TCF4911EZ

Concealed Connection with Auto Flush

CS767CRV TCF4911EZ TCA440

Close Coupled Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

305mm (S-Trap) Rough-in: Close Coupled Toilet 445W\*717D\*698H mm

WASHLET S7 383W\*532D\*125H mm Size:









Concealed Connection Only

C885CDE

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated 305mm (S-Trap) Rough-in: One Piece Toilet

One Piece Toilet with WASHLET S7

387W\*701D\*645H mm WASHLET S7 383W\*532D\*125H mm

CLEAN SYNERGY 💸 🖁 🚱 🎧 **900000** 



**Concealed Connection** 

CS769CDRV TCF4911EZ

**Concealed Connection** with Auto Flush

CS769CDRV TCF4911EZ TCA438

Close Coupled Toilet with WASHLET S7

Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

305mm (S-Trap) Rough-in: Close Coupled Toilet 396W\*700D\*748H mm Size:

WASHLET S7 383W\*532D\*125H mm

CLEAN SYNERGY 💸 🗑 🚱 🎧 **900000** 





**Concealed Connection** 

CW542HME5UNW1 TCF801CZ WH172AT

**Concealed Connection** 

CW542HME5UNW1 TCF802C2Z WH172AAT

Wall Hung Toilet with WASHLET RW

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape 220mm (P-Trap)

Rough-in: Wall Hung Toilet 380W\*580D\*335H mm

WASHLET RW 383W\*579D\*108H mm







**Concealed Connection** Only

CW522HME5UNW1 TCF803CZ WH172AT

**Concealed Connection** with Auto Flush

CW522HME5UNW1 TCF804C2Z WH172AAT

Wall Hung Toilet with WASHLET SW

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Square Shape Rough-in: 220mm (P-Trap) Wall Hung Toilet

380W\*580D\*335H mm WASHLET SW

383W\*579D\*108H mm







**Concealed Connection** Only

CW542HME5UNW1 TCF794CZ WH172AT

Concealed Connection with Auto Flush

CW542HME5UNW1 TCF795C2Z

Wall Hung Toilet with WASHLET RX

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape 220mm (P-Trap)

Rough-in: Wall Hung Toilet WASHLET RX

380W\*580D\*335H mm

383W\*579D\*146H mm









Concealed Connection Only

CW522HME5UNW1 TCF796CZ WH172AT

**Concealed Connection** with Auto Flush CW522HME5UNW1 TCF797C2Z WH172AAT

Wall Hung Toilet with WASHLET SX

Tornado Flush Flush System: (4.5L / 3L) Bowl Shape: Square Shape Rough-in: 220mm (P-Trap)

Wall Hung Toilet 380W\*580D\*335H mm Size: WASHLET SX

383W\*579D\*146H mm









**Concealed Connection** Only

CW553EA TCF34570GAA WH172AT TCA465

**Concealed Connection** with Auto Flush

CW553EA TCF34570GAA WH172AAT TCA502 Wall Hung Toilet with WASHLET S5

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: D-Shape

220mm (P-Trap) Rough-in: Wall Hung Toilet 380W\*540D\*335H mm

WASHLET S5 383W\*540D\*130H mm



CLEAN SYNERGY 💸 🖁 🚱 🔊 🕤



GOOD GREEN GOOD DESIGN AMAJID 2018



Concealed Connection Only

**Concealed Connection** 

Concealed Connection

with Auto Flush

CW553EA TCF33370GAA WH172AT

CW812REA TCF4911EZ

WH172AT TCA465

CW812REA TCF4911EZ

WH172AAT TCA502

Wall Hung Toilet with WASHLET S2 Flush System: Tornado Flush

> (4.5L / 3L) Bowl Shape: D-Shape Rough-in: 220mm (P-Trap)

Wall Hung Toilet 380W\*540D\*335H mm WASHLET S2

Bowl Shape:

Wall Hung Toilet

WASHLET S7

Rough-in:

462W\*540D\*130H mm Size:

Flush System: Tornado Flush

Wall Hung Toilet with WASHLET S7

(4.5L / 3L)

Elongated

220mm (P-Trap)

380W\*595D\*335H mm


383W\*532D\*125H mm

CLEAN SYNERGY 💸 🗑 🚱 🌑 🦷









**Concealed Connection** 

CW822REA TCF4911EZ WH172AT TCA465

**Concealed Connection** with Auto Flush

CW822REA TCF4911EZ WH172AAT TCA502

Wall Hung Toilet with WASHLET S7

Flush System: Tornado Flush (4.5L / 3L) Bowl Shape: Elongated

Rough-in: 220mm (P-Trap) Wall Hung Toilet

380W\*540D\*330H mm

WASHLET S7 383W\*532D\*125H mm



CLEAN SYNERGY 💸 🗑 🕥 🦷





Flush System:



MS971V / TCF9433A Rough-in: 305mm (S-Trap)

MS971PV/ TCF9433A Rough-in: 180mm (P-Trap)

Bowl Shape Size:

Smart Toilet 391W\*728D\*684H mm

Tornado Flush

(4.5L / 3L)

Elongated



### WASHLET+ COMBINATION OVERVIEW OF NON / AUTO FLUSH COMPATIBILITIES

- Auto Flush Compatible
- O Concealed Connection only (no auto flush)

PRODUCT NAME			WASHLET RW		WASHLET SW		WASHLET RX		
PR	PRODUCT IMAGE								
М	MODEL NUMBER			TCF801CZ	TCF802C2Z	TCF803CZ	TCF804C2Z	TCF794CZ	TCF795C2Z
ВС	BOWL SHAPE			D-SHAPE	D-SHAPE	SQUARE SHAPE	SQUARE SHAPE	D-SHAPE	D-SHAPE
FLUSH / VALVE AUTO STOP FLUSH KIT VALVE KIT OOLET O			 		1 1 1 1 1 1				
	CW522HME5UNW1	WH172AAT*	WH172AT*	-	_	0	•	_	-
O	CW542HME5UNW1	WH172AAT*	WH172AT*	0	•	_	_	0	•
WALL HUNG	CW553EA	WH172AAT* TCA502	WH172AT* TCA465	-	_	_	_	_	-
>	CW812REA	WH172AAT* TCA502	WH172AT* TCA465	-	-	_	_	_	-
	CW822REA	WH172AAT* TCA502	WH172AT* TCA465	-	_	_	_	_	-
	MS636CDRV	_	_	-	_	_	_	_	-
	CW823REA	-	-	-	-	-	-	-	-
ONE PIECE	C889CDRE	TCA438	-	-	-	-	-	-	-
	C887CRE	TCA440	-	-	_	_	_	_	-
	C885CDE	_	-	-	-	-	-	-	-
	C769CE / S986GE	TCA438	-	-	_	_	_	_	-
LED	CS838CDV	TCA438	-	-	-	-	-	-	-
CLOSE COUPLED	CST948CDV	TCA438	-	-	-	-	-	-	-
CLO	CS767CRV	TCA440	-	-	-	-	-	-	-
	CS769CDRV	TCA438	-	-	-	-	_	-	-

WASHLET SX		WASH	LET S7	WASHLET S5 WASHLET S2 WASHLET (		WASHLET C5	WASHLET C2
TCF796CZ	TCF797C2Z	TCF4911EZ	TCF4914EZ	TCF34570GAA	TCF33370GAA	TCF24460AAA	TCF23460AAA
SQUARE SHAPE	SQUARE SHAPE	ELONGATED	ELONGATED	D-SHAPE	D-SHAPE	ELONGATED	ELONGATED
0	•	-	-	-	-	-	-
-	-	-	-	_	-	-	-
-	-	-	-	• 0	0	-	-
-	-	• 0	• 0	_	-	0	0
-	_	• 0	• 0	_	-	0	0
-	_	0	0	_	_	_	-
-	_	0	0	_	_	_	-
-	-	• 0	• 0	_	_	0	0
-	-	• 0	• 0	-	-	0	0
-	_	0	0	_	_	0	0
_	_	• 0	• 0	_	_	0	0
-	-	• 0	• 0	_	_	0	0
_	_	• 0	• 0	_	_	0	0
_	-	• 0	• 0	_	_	0	0
-	-	• 0	• 0	_	_	0	0

<sup>\*</sup>Inclusive of Auto Flush / Stop Valve kit

# washlėt<sub>®</sub>



# BENEFITS & TECHNOLOGIES

### **CLEAN SYNERGY**
























EWATER+ For BOWL



















DEODORIZER



WATER SAVING

- SELF CLEANING WAND
- WIDE FRONT CLEANSING
- WAND POSITION ADJUSTMENT
- AUTO ENERGY SAVER

- REAR CLEANSING
- OSCILLATING CLEANSING
- WATER PRESSURE ADJUSTMENT
- MAIN UNIT ONE-TOUCH REMOVAL

- REAR SOFT CLEANSING
- PULSATING CLEANSING
- WARM AIR DRYING
- FRONT CLEANSING
- CLEAN RESIN
- SOFT LIGHT



TCF801CZ (Concealed Connection)

TCF802C2Z (Concealed Connection w/ Auto Flush)

Bowl Shape: 0.05MPa~0.75MPa Water Pressure: Power Rating: 220~240V, 50/60Hz, 826~837W Length of: 0.9m

Power Cord 383W\*579D\*108H mm

WASHLET RW

CLEAN SYNERGY (6) 

GOOD GREEN GOOD DESIGN AWARD AWARD 2018

TCF803CZ (Concealed Connection)

TCF804C2Z (Concealed Connection w/ Auto Flush)

Bowl Shape: Square Shape Water Pressure: 0.05MPa~0.75MPa

WASHLET SW

Power Rating: 220~240V, 50/60Hz, 826~837W Lenath of: 0.9m

Power Cord Size:

CLEAN SYNERGY ( 







TCF794CZ (Concealed Connection)

TCF795C2Z (Concealed Connection w/ Auto Flush)

WASHLET RX

Bowl Shape: D-Shape Water Pressure: Power Rating:

Length of:

Size:

0.05MPa~0.75MPa 220~240V, 50/60Hz, 826~837W 0.9 m

383W\*579D\*108H mm

Power Cord

WASHLET SX

Water Pressure:

Power Rating:

Bowl Shape:

383W\*579D\*146H mm











TCF796CZ (Concealed Connection)

TCF797C2Z (Concealed Connection w/ Auto Flush)

Power Cord Size:

220~240V, 50/60Hz, 826~843W 0.9m

0.05MPa~0.75MPa

Square Shape

Length of:

383W\*579D\*146H mm









TCF4911Z (Non Concealed Connection)

TCF4911EZ (Concealed Connection) WASHLET S7

Bowl Shape: Water Pressure: Power Rating:

Length of: Power Cord Size:

220~240V, 50/60Hz, 1.2m

Elongated

0.05MPa~0.75MPa

830~839W

CLEAN SYNERGY ()



383W\*532D\*125H mm









TCF4914Z (Non Concealed Connection)

TCF4914EZ (Concealed Connection) Water Pressure: 0.05MPa~0.75MPa Power Rating: 220~240V, 50/60Hz, 830~839W

WASHLET S7

Bowl Shape:

Lenath of: 1.2m Power Cord Size:

383W\*532D\*116H mm

Elongated





TCF34320GAA (Non Concealed Connection)

TCF34570GAA

Bowl Shape: Water Pressure: Power Rating:

WASHLET S5

Length of: Power Cord Size:

383W\*540D\*130H mm

0.05MPa~0.75MPa

220~240V, 50/60Hz,

D-Shape

826~837W

1.2m









TCF33320GAA (Non Concealed Connection)

TCF33370GAA (Concealed Connection) Bowl Shape:

WASHLET S2

Water Pressure: 0.05MPa~0.75MPa Power Rating:

Length of: Power Cord Size:

220~240V, 50/60Hz, 828~839W 1.2m

D-Shape

462W\*540D\*130H mm

220~240V, 50/60Hz,

307~362W

Elongated

306~361W

1.2m

Water Pressure: 0.05MPa~0.75MPa

1.2m









TCF24410AAA (Non Concealed Connection)

TCF24460AAA

WASHLET C5 Bowl Shape:

(Concealed Connection)

Water Pressure: 0.05MPa~0.75MPa Power Rating:

Lenath of: Power Cord

WASHLET C2

Bowl Shape:

383W\*530D\*147H mm









TCF23410AAA (Non Concealed Connection)

TCF23460AAA

(Concealed Connection)

Power Rating: Length of:

Power Cord Size:

472W\*530D\*147H mm

220~240V, 50/60Hz,









TCF23400AAA (Non Concealed Connection)

WASHLET C2

Bowl Shape: Water Pressure: 0.05MPa~0.75MPa Power Rating:

Length of: Power Cord Size:

472W\*483D\*147H mm

Round

315~371W

220~240V, 50/60Hz,



### WASHLET SERIES

### OVERVIEW OF WASHLET FUNCTIONS

PRODUCT NAME		WASHLET RW / SW		WASHLET RX / SX		WASHLET S7	
PRODUCT IMAGE							
	D-SHAPE	TCF801CZ	TCF802C2Z	TCF794CZ	TCF795C2Z	-	
SHAPE	SQUARE SHAPE	TCF803CZ	TCF804C2Z	TCF796CZ	TCF797C2Z	_	
BOWL SHAPE	ELONGATED	-	-	-	-	TCF4911Z TCF4914Z	TCF4911EZ TCF4914EZ
	ROUND SHAPE	-		-	-	-	-
	AIR-IN WONDERWAVE	-	-	-	-	•	•
SN	Rear Cleansing	•	•	•	•	•	•
OTTO	Rear Soft Cleansing	•	•	•	•	•	•
CLEANSING FUNCTIONS	Front Cleansing	•	•	•	•	•	•
NG F	Wide Front Cleansing	-	-	-	-	•	•
ANS	Oscillating Cleansing	•	•	•	•	•	•
CLE	Pulsating Cleansing	•	•	•	•	•	•
	Nozzle Position Adjustment	•	•	•	•	•	•
	Soft Close Seat & Lid	•	•	•	•	•	•
	AUTO OPEN / CLOSE LID	•	•	-	-	•	•
	AUTO FLUSH	-	•	-	•	-	•
SZ	HEATED SEAT	•	•	•	•	•	•
OIL	DRYER	•	•	-	-	•	•
OND:	DEODORIZER	•	•	•	•	•	•
OMFORT FUNCTIONS	SOFT LIGHT	•	•	-	-	•	•
OMF	Water Heating Type	Instantaneous	Instantaneous	Instantaneous	Instantaneous	Instantaneous	Instantaneous
ö	Temperature (Water)	•	•	•	•	•	•
	Water Pressure	•	•	•	•	•	•
	Remote Control	•	•	•	•	•	•
	Personal Setting	•	•	•	•	•	•
	EWATER+ For Bowl	•	•	-	-	•	•
	EWATER+ For Nozzle	•	•	•	•	•	•
ONS	PREMIST	•	•	•	•	•	•
HYGIENE FUNCTIONS	SELF-CLEANING WAND	•	•	•	•	•	•
EFU	Self-Cleaning Button	•	•	•	•	•	•
GEN	Clean Resin	•	•	•	•	•	•
Ŧ	Removeable Lid	•	•	-	-	•	•
	One-Touch Removeable Unit	•	•	-	-	•	•
	Antibacterial Surface	•	•	•	•	•	•
ENERGY SAVING	Energy Saver	•	•	•	•	•	•

WASHL	ET S5	WASHLET S2	WASHLET C5	WASHLET C2	WASHLET C2
TCF34320GAA	TCF34570GAA	TCF33320GAA TCF33370GAA		I -	-
-			- "	-	-
_		-	TCF24410AAA TCF24460AAA	TCF23410AAA TCF23460AAA	-
-	_		-	-	TCF23400AAA
-	-	-	-	-	-
•	•	•		•	•
•	•	•	•	•	•
•	•	•	•	•	•
-	-		_	-	_
	•	•	•	•	•
		-		-	-
•		•	•	•	•
-		-		-	-
-	•	-	-	-	-
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
-	-	-	-	-	-
Instantaneous	Instantaneous	Instantaneous	Tank	Tank	Tank
		-			
•		-	•	-	-
•	•	-	•	-	
-	-	-	-	-	-
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
			•	•	
			•	•	
•	•	•	•	•	
•	•	•	•	•	•
•					



#### **Features**











Easy remove for cleaning



#### TCW1211A

#### Ecowasher

Bowl Shape: Elongated / Regular Adjustable
Function: Rear Cleaning & Bidet
Material: Seat & Cover (Urea Resin)
Size: 380W\*509D\*105H mm



#### TCW10S

#### Ecowasher

 Bowl Shape:
 Elongated

 Function:
 Rear Cleaning & Bidet

 Material:
 Seat & Cover (Urea Resin)

 Size:
 380W\*533D\*105H mm



### TCW09S

### Ecowasher

 Bowl Shape:
 D-Shape

 Function:
 Rear Cleaning & Bidet

 Material:
 Seat & Cover (Urea Resin)

 Size:
 380W\*503D\*105H mm



#### TCW08S Function:

Function: Rear Cleaning & Bidet

#### TCW07S Function: Rear Cleaning

### Ecowasher

 Bowl Shape:
 Elongated / Regular Adjustable

 Material:
 Seat & Cover (PP)

 Size:
 385W\*504D\*80H mm