



## Brand

TOTO

## Product Name

TCF24410ASG

## Description

- EWATER+ spreads out and keeps clean nozzle by preventing bacterial with sanitizing effect
- PREMIST water is sprayed inside the toilet bowl to make it difficult for dirt to adhere
- Maximized comfort function with new wide front and pulsating cleansing
- Fully equipped with comfortable rear, front and oscillating cleansing functions
- Adjustable WARM AIR DRYING and HEATED SEAT with temperature control
- Auto powerful DEODORIZER activates after every usage
- Comes with ABB F202 RCCB


## Colour / Material

White / Plastic

## Specifications




Size	: 383W x 530D x 147H mm
Water pressure	: 0.05MPa ~ 0.75MPa
Power rating	: 220~240V, 50/60Hz, 307 ~ 362W
Power cord	: 5000mm length
Base plate that comes together with washlet can be extended from 140mm - 155mm	

TCF24410ASG






## WASHLET TCF24410ASG#NW1 FUNCTIONS

Hygiene Functions		Cleansing Functions		Comfort Functions	
Ewater+ 	•	Air-in Wonderwave 		Soft Close Seat & Lid	•
Premist 	•	Rear Cleansing	•	Auto Lid Opening and Closing 	
Self-cleaning Wand 	•	Rear Soft Cleansing	•	Auto Flush 	
Self – Cleaning Button	•	Front Cleansing	•	Heated Seat 	•
Clean Resin	•	Wide Front Cleansing		Dryer 	•
Removable Lid	•	Oscillating Cleansing	•	Deodorizer 	•
One-Touch Removable Unit	•	Pulsating Cleansing	•	Soft Light 	
Antibacterial Surface	•	Nozzle Position Adjustment	•	Water Heating Type	Tank
				Temperature (Water)	•
				Water Pressure	•
				Remote Control	•
				Personal Setting	•
				Energy Saver	•



## Electrical Installation Requirements for TOTO Washlet & Neorest



### Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.