

Brand

TOTO

Product Name

TCF24460ASG

Description

- EWATER+ spreads out and keeps clean nozzle by preventing bacterial with sanitizing effect
- PREMIST water is sprayed inside the toilet bowl to make it difficult for dirt to adhere
- Maximized comfort function with new wide front and pulsating cleansing
- Fully equipped with comfortable rear, front and oscillating cleansing functions
- Adjustable WARM AIR DRYING and HEATED SEAT with temperature control
- Auto powerful DEODORIZER activates after every usage
- Comes with ABB F202 RCCB

Colour / Material

White / Plastic

Specifications


Size	: 383W x 530D x 147H mm
Water pressure	: 0.05MPa ~ 0.75MPa
Power rating	: 220~240V, 50/60Hz, 307 ~ 362W
Power cord	: 1200mm length
Base plate that co	mes together with washlet
can be extended f	from 140mm - 155mm



WASHLET TCF24410ASG#NW1 FUNCTIONS						
Hygiene Functions		Cleansing Functions		Comfort Functions		
Ewater+ 🚱	•	Air-in Wonderwave		Soft Close Seat & Lid	•	
Premist 🌒	•	Rear Cleansing	•	Auto Lid Opening and O Closing		
Self-cleaning Wand	•	Rear Soft Cleansing	•	Auto Flush 🔘		
Self – Cleaning Button	•	Front Cleansing	•	Heated Seat	•	
Clean Resin	•	Wide Front Cleansing		Dryer 🗱	•	
Removable Lid	•	Oscillating Cleansing	•	Deodorizer	•	
One-Touch Removable Unit	•	Pulsating Cleansing	•	Soft Light 🔘		
Antibacterial Surface	•	Nozzle Position Adjustment	•	Water Heating Type	Tank	
				Temperature (Water)	•	
				Water Pressure	•	
				Remote Control	•	
				Personal Setting	•	
				Energy Saver	•	
	1		1			



Electrical Installation Requirements for TOTO Washlet & Neorest



Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.

Fullsun Marketing Pte Ltd www.fullsun.com.sg